8th International Symposium
on Andean Geodynamics
(ISAG)

Variable magmatic features of Oligocene-early Miocene Patagonian magmatism as result of subduction-induced mantle dynamics

L. Fernández Paz[1, 2], F. Bechis[3], V. D. Litvak[1, 2], A. Echaurren[1, 2], A. Encinas[4], J. González[4], F. Lucassen[5], V. Oliveros[4], V. Valencia[6], A. Folguera[1, 2]

[1]*Universidad de Buenos Aires. Facultad de Ciencias Exactas y Naturales, Buenos Aires*

[2]*CONICET-Universidad de Buenos Aires. Instituto de Estudios Andinos "Don Pablo Groeber" (IDEAN). Buenos Aires, Argentina*

[3]*CONICET-Universidad Nacional de Río Negro, Instituto de Investigaciones en Diversidad Cultural y Procesos de Cambio (IIDyPCa), San Carlos de Bariloche, Argentina*

[4]*Departamento de Ciencias de la Tierra, Universidad de Concepción, Casilla 160-C, Concepción, Chile*

[5]*MARUM, Universität Bremen, D-28359; Bremen, Germany*

[6]*School of the Environment, Washington State University, Pullman, Washington 99164,USA*

New geochemical and geochronological data reveal that late Oligocene-early Miocene time is a break point in the evolution of Andean magmatism. The Patagonian Andes registered the onset of arc volcanism since the late Eocene forming part of the El Maitén Belt, whose development was driven by the subduction of the Farallón/Nazca plates beneath the Andean margin (Rapela et al., 1988). New data indicate that during the Oligocene El Maitén Belt show a change from tholeiitic to calc-alkaline compositions, reflecting a more mature stage in arc evolution. Toward the early Miocene, Andean arc magmatism turned into basic tholeiitic lava flows, which intercalate with marine deposits, suggesting their development under extensional tectonics (e.g., Bechis et al., 2014). These rocks resemble E-MORB-like and OIB compositions with primitive mantle sources, which strongly contrast with previous arc products. By this time, a global plate reorganization event would have caused an increase in convergence rates, accelerated roll back and a more orthogonal subduction geometry, triggering a widespread magmatism and the development of extensional basins in the upper plate (e.g., Fennell et al., 2018; Lonsdale, 2005; Muñoz et al., 2000). Records of volcanic associations with arc signature during the early Miocene can be found only in the western slope of the Andes, suggesting the retreat of the volcanic front toward the trench (e.g., Encinas et al., 2016; Muñoz et al., 2000). The proposed model suggests that slab rollback would have caused vigorous mantle convection allowing the coexistence of arc related magmatism with deep-sourced intrusions.

Bechis, F., Encinas, A., Concheyro, A., Litvak, V. D., Aguirre-Urreta, B., & Ramos, V. A. 2014. New age constraints for the Cenozoic marine transgressions of northwestern Patagonia, Argentina (41°-43°S): Paleogeographic and tectonic implications. Journal of South American Earth Sciences, 52, 72–93.

Encinas, A., Folguera, A. A., Oliveros, V. V., De Girolamo Del Mauro, L., Tapia, F., Riffo, R., …Álvarez, O. 2016. Late Oligocene-early Miocene submarine volcanism and deep-marine sedimentation in an extensional basin of southern Chile: Implications for the tectonic development of the North Patagonian Andes. Bulletin of the Geological Society of America, 128, 807–823.

Fennell, L. M., Quinteros, J., Iannelli, S. B., Litvak, V. D., & Folguera, A. 2018. The role of the slab pull force in the late Oligocene to early Miocene extension in the Southern Central Andes (27°-46°S): Insights from numerical modeling. Journal of South American Earth Sciences, 87, 174-187.

Lonsdale, P. 2005. Creation of the Cocos and Nazca plates by fission of the Farallon plate. Tectonophysics, 404, 237–264. Muñoz, J., Troncoso, R., Duhart, P., Crignola, P., Farmer, L., & Stern, C. R. 2000. The relation of the mid-Tertiary Coastal Magmatic Belt in south-central Chile to the late Oligocene increase in plate convergence rate. Revista Geológica de Chile, 27, 177–203.

Rapela, C. W., Spalletti, L. A., Merodio, J. C., & Aragón, E. 1988. Temporal evolution and spatial variation of early tertiary volcanism in the Patagonian Andes (40°S-42°30'S). Journal of South American Earth Sciences, 1, 75–88.